

CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Ministry of Education, Govt of India)

APPENDIX-IX

Mandatory Public Disclosure

A. GENERAL INFORMATION

S.NO	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	NAVYUG SCHOOL LODHI ROAD NEW DELHI
2	AFFILIATION NO(IF APPLICABLE)	2754135
3	SCHOOL CODE(IF APPLICABLE)	27193
4	COMPLETE ADDRESS WITH PIN CODE	NAVYUG SCHOOL LODHI ROAD NEW DELHI-110003
5	PRINCIPAL NAME & QUALIFICATION	DR.DINESH KUMAR M.COM,B.ED,PGDBA,LLB,PhD
6	SCHOOL EMAIL ID	NLDR-SS-NDMC@NDMC.GOV.IN
7	CONTACT DETAILS(LANDLINE/MOBILE)	01124652071

B. DOCUMENT AND INFORMATION :

S.NO	DOCUMENT/INFORMATION	UPLOAD DOUCMENT
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION,IF ANY	YES
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE AS APPLICABLE	YES
3	COPY OF NO OBJECTION CERTIFICATE(NOC) ISSUED IF APPLICABLE BY THE STATE GOVT/UT	RUN UNDER THE EDUACTION DEPARTMENT OF NEW DELHI MUNICIPAL COUNCIL(NDMC)
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT,2009,AND IT'S RENEWAL IF APPLICABLE	RUN UNDER THE EDUACTION DEPARTMENT OF NEW DELHI MUNICIPAL COUNCIL(NDMC)
5	COPY OF VALID BUILDING SAFTY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	YES
6	COPY OF VAILD FIRE SAFTY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	YES
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION /EXTENSION OF AFFILIATION OR SELF CERTIFICATION BY SCHOOL	NOT APPLICABLE
8	COPIES OF VALID WATER HEALTH AND SANITATION CERTIFATIES	YES

**The Principal,
NAVYUG SCHOOL LODHI ROAD NEW DELHI
LODHI ROAD, NEW DELHI
DELHI, NEW DELHI, 110003
(M: 011-24626165)**

SUBJECT: -Extension of Regular Affiliation up to Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	2754135
School No	27193
Affiliated for	Extension of Regular Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2024 to 31.03.2030

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school shall follow all the provisions of Affiliation Bye-Laws- 2018, Examination Bye-Laws, circulars, guidelines, instructions and other amendments issued from time to time by the Board.
3. The School shall possess following valid mandatory documents at all times :
 - a. No Objection Certificate
 - b. Recognition Certificate
 - c. Land Certificate
 - d. Fire Safety Certificate
 - e. Building Safety Certificate
 - f. Certificate of Registration of Society/Trust/Company
 - g. Safe Drinking Water and Sanitary Condition Certificate
4. The School shall also ensure the compliances with the Board's Bye-laws in respect of following facilities and infrastructure within 3 months and submit compliance on SARAS portal.
 1. Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.
 2. Ramps at the entrance(s) as well as Ramps/lifts for CWSN, to access the upper floors of the school (in case of a multistoried school) (Circular No. CBSE/AFF-05/2023 dated 06.03.2023).
 3. Separate toilets for CWSN, boys and girls on every floor (in case of multistoried schools) (Circular No. CBSE/AFF-05/2023 dated 06.03.2023).

4. Appropriate laboratory infrastructure for Secondary School (Composite Science Lab, Mathematics Lab, Computer Lab) and for Senior Secondary School (Composite Science Lab, Mathematics Lab, Computer Lab, Physics Lab, Chemistry Lab, Biology Lab.) (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
5. Well stocked library with adequate reading area. (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
6. Well-developed indoor and outdoor sports facilities. (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
7. Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)

Failure to comply within the prescribed time may invite financial penalty @ 50,000/- per month until compliance is submitted and may debar the school from filling the registration and LOC of students' class IX to class XII, as the case may be.

If the compliance is not submitted within the stipulated 3 months, the Board may enhance the penalty amount and debar the schools from filling up registration/LOC details of students of classes IX to XII, as the case may be, in the next academic session i.e. 2024-25.

DEPUTY SECRETARY/JOINT SECRETARY (AFF)

Note :-

1. The School is required to apply online for extension of affiliation before its expiry along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.
4. The school shall not remove the documents and videography links in the mandatory disclosure section of its website.

*This is an electronically generated document. It does not need any signature.
To verify the authenticity of the document, please visit
(<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchDirReport>).*

BUILDING SAFETY CERTIFICATE

The building of Navyug School (Pimary wing), Lodhi Road is structurally safe by visual inspection of building & there is no any majour fault on wall and roof.

[Signature]
EE(BM-III) 18/12/22

Executive Engineer
BM-III, Civil N.D.M.C.
Palika Parking,
New Delhi.

[Signature]
16/12/22

AE-IV(BM-III)

[Signature]
18.12.22

JE(BM-III)

[Signature] 4.4.2024

NAVYUG SCHOOL
Lodhi Road
New Delhi-110003

FORM 'H': FORM FOR ISSUING FIRE SAFETY CERTIFICATE
 [See sub-rule (1) of rule 35]
GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE, NEW DELHI-110008

No.F.6/DFS/MS/School/2021/SZ/ 0179

Dated: 03/12/2021

FIRE SAFETY CERTIFICATE

Certified that the Navyug Sr. Sec. School located at Lodhi Road, New Delhi-110003, comprised of Ground & Two Upper Floor owned / occupied by Navyug Sr. Sec. School, was issued Fire Safety Certificate by this department vide letter No. F6/DFS/MS/School/2018/SZ/2465 dated 01/11/2018. The premises was re-inspected by the officer concerned of Fire Service on 18/11/2021 in the presence of Dr. Dinesh Madan (Principal) and observed that all the fire prevention and fire safety arrangements provided in the premises found in good working condition. The premises have therefore deemed complied with rule 33 of Delhi Fire Service Rules 2010 and that the building is fit for occupancy class "Educational" (Group-B) with effect from 03/12/2021 for a period of three years in accordance with rule 36 unless renewal under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the DFS rules, 2010.

Issued on 03/12/2021 at New Delhi by

(SUNIL CHAUDHARY)
 DY. CHIEF FIRE OFFICER (S.Z.)

Copy to :-

1. The Principal, Navyug Sr. Sec. School, Lodhi Road, New Delhi-110003.
2. The Director of Education, South MCD, Civic Centre, Minto Road, New Delhi-110002.

Conditions for the validity of Fire Safety Certificate:

1. All the means of escape / entry / exit shall be kept free from any obstruction.
2. All the fire safety arrangement provided there in shall be maintained in good working conditions at all times.
3. Any loss of life or property due to non-functional fire safety measure shall be at the responsibility of the management.
4. All the staff members must know the correct method of operation of fire fighting system.
5. This Fire Safety Certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3. of UBBL-2016), if any.
6. "The owner / Occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'F' (sub rule (1) of rule 37) along with a copy of this Certificate, six months prior to its expiry".
7. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on WWW.dfs.Delhi.govt.nic.in.

Navyug Sr. Sec. School
 Lodhi Road
 New Delhi-110003

C. RESULT AND ACADEMICS

S.NO	DOCUMENT/INFORMATION	UPLOAD DOUCMENT
1	FEE STRUCTURE OF THE SCHOOL	NOT APPLICABLE
2	ANNUAL ACADEMIC CALENDER	
3	LIST OF SCHOOL MANAGEMENT COMMITTEE(SMC)	YES
4	LIST OF PARENTS TEACHERS ASSOCIATION(PTA) MEMBERS	NOT APPLICABLE

5	LAST THREE YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	YES
---	--	-----

RESULT CLASS: X

S.NO	YEAR	NO OF REGISTERED STUDENTS	NO OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2021-22	85	68	80	
2	2022-23	72	66	91.6	
3	2023-24	41	40	97.5	

RESULT CLASS:XII

S.NO	YEAR	NO OF REGISTERED STUDENTS	NO OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2021-22	77	77	100	
2	2022-23	93	91	97.8	
3	2023-24	81	79	97.5	

D. STAFF (TEACHING)

S.NO	INFORMATION	DETAILS
1	PRINCIPAL	01(VICE PRINCIPAL)
2	TOTAL NO OF TEACHER PGT TGT PRT PET	37 15 10 10 02
3	TEACHERS SECTION RATIO	1:3
4	DETAILS OF SPECIAL EDUCATOR	NIL
5	DETAILS OF COUNSELLOR AND WELNESS TEACHER	NIL

E. SCHOOL INFRASTRUCTURE:

S.NO	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL(IN SQUARE MTR)	10522 SQUARE MTR
2	NO AND SIZE OF THE CLASS ROOMS)IN SQUARE MTR)	26 & 37 SQUARE MTR
3	NO AND SIZE OF LABORATORIES INCULDING COMPUTER LABS(IN SQUARE MTR)	05 LABS 03 LABS: 74*3 = 222 SQUARE MTR 02 LABS:37*2= 74 SQUARE MTR
4	INTERNET FACILITY(Y/N)	YES
5	NO OF GIRLS TOILETS	06
6	NO OF BOYS TOILETS	04
7	LINK OF YOU TUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	